3.8 CHINCOTEAGUE CHANNEL MARSH STUDY SITE

3.8.1 Qualitative Description

Physical description. This small site (Figure 12) is approximately 5 ha and is located immediately next to Chincoteague Channel on the southwest corner of Chincoteague Island adjacent to the Ocean Breezes South Study Site.

Several large spoil banks and dredged channels dissect the site and have destroyed perhaps 10% to 15% of the estuarine marsh which existed formerly. However, much of the original hydrologic circulation and expanses of estuarine vegetation remain.

<u>Definitions.</u> The WIA includes the site as outlined by the EPA. The basin consists of the tidal creek which flows into Chincoteague Bay. The sub-watershed includes the filled areas which run down the middle of the site and around the edges of the site.

Oualitative vegetation description. The wetland areas of the site are dominated by <u>Spartina alterniflora</u>, <u>S. patens</u>, and <u>Distichlis spicata</u>. The higher areas of the wetlands and the filled dikes are covered with <u>Iva</u> and <u>Baccharis</u> and other shrubs.

<u>Wetland classification</u>. The wetlands on this site are largely estuarine emergent with small patches and strips of estuarine scrub/shrub.

Substrate, water salinity. Most of the substrates underneath this site are basically sand, but are overlain by a layer of estuarine organic soils which may be up to 20-50 cm thick. Water enters and exits the site through a fairly open inlet so that salinities within the site range from 15 to 30 ppt depending on local rainfall and tidal conditions.

<u>Wildlife use.</u> As with most small estuarine marshes this area is heavily utilized by estuarine fishes. In addition, a variety of shorebirds and waterfowl also are present at times.

Hydrologic functions. While drainage is restricted to certain areas of the site by construction of dikes and filled areas, most of the site is still flushed through an inlet/outlet which flows into Chincoteague Bay. Drainage within the site would be improved easily by breaching the artificial dikes at several points. Like most estuarine sites the ground-water recharge potential is low. Flood storage and nutrient retention, however, are probably high.

3.8.2 Adamus and Stockwell Evaluations: Chincoteague Channel Marsh

Summary Sheet D

This form is the appropriate place for recording the ratings that result from use of the interpretation procedures and keys in Sections 2.1.2, and 2.2.2. As each analysis is completed, enter its rating (high,moderate, or low; or A, B, or C) in the relevant box until all boxes for functions of interest are filled.

Begin by labeling the context of the analysis (pre- or post- construction, with or without mitigation, name of basin and WIA). Then enter the data, using the numbered footnotes to help locate the associated analyses. For the evaluation of each function's Effectiveness, enter whichever rating is higher -- That for the basin or that for the WIA. The evaluation of the impact vector is optional.

BASIN	¥	VIA		PROJECT			
EVALUATION TIME FRAME (PRE/POST)MITIGATION PLAN #							
	EFFECTIVENESS'	OPPORTUNITY	FUNCTIONAL RATING	SIGNIFICANCE	FUNCTIONAL SIGNIFICANCE		
GROUND WATER RECHARGE	low	moderate	low	moderate	low		
GROUND WATER DISCHARGE!	moderate		moderate	high	high		
FLOOD STORAGE?	hian	high	high	moderate	high		
SHORELINE ANCHORING	moderate	moderate	moderate	high	high		
SEDIMENTTRAPPING"	moderate	high	high	moderate	hich		
NUTRIENT RETENTION LONG-TERM# SEASONAL#	moderate moderate	high high	high high	moderate	high high		
FOOD CHAIN SUPPORT DOWNSTREAM [®] IN-BASIN®	moderate moderate	_	moderate moderate	moderate	moderate moderate		
FISHERY HABITAT WARMWATER** COLDWATER**	low		low	moderate	low		
COLDW.RIVERINE" ANADROMOUS RIYS h, Hd. SPECIES" LL. WIR. FL.	moderate		moderate		moderate		
WILDLIFE HABITAT GENERAL DIVERSITY* WATERFOWL GP." 1 WATERFOWL GP." 2 SPECIES*	summer modera low low high	winter te ** low low	moderate low low high	moderate	moderate low low high		
SPECIES** ACTIVE RECREATION** SWIMMING BOAT LAUNCHING POWER BOATING CANOEING SAILING	Tow Tow Tow Tow		law law law law law	moderate	Tow Tow Tow Tow		
PASSIVE RECREATION AND HERITAGE™				moderate	moderate		

FCOTNOTES

These entries will be based on analyses in the following parts of Yolume II (numbers correspond to

footnotes above):

1-Forms A. Al (p. 6, 51); 2-Section 2.1.2.2. (p. 97); 3-Forms B. Bl (p. 38, 54); 4-Section 2.1.2.2. (p. 97); 5-Interpretation key in Section 2.1.2.1. p. 57; 6-p. 59; 7-p. 60; 8-p. 62; 9-p. 64; 10-p. 67; 11-p. 67; 12-p. 69; 13-p. 71; 14-p. 73; 15-p. 75; 16-p. 79; 17-p. 80; 18-p. 84; 19-p. 91; 20-p. 92;

^{21.0. 93.} * Blue Fish, Hard Clam, Winter Flounder **Too small to score high

Chincoteague Channel Marsh

Response Sheet A1

THRESHOLD ANALYSIS: FUNCTIONAL OPPORTUNITY AND EFFECTIVENESS

This sheet is the appropriate place for recording the responses to corresponding questions in Form A. A "yes" (Y) or "no" (N) response must be circled for all parts of each question, even when the response seems obvious. This response sheet has two major columns—"WIA" and "BASIN", and within each of these, three subcolumns entitled " \bar{x} ", "W", and "D", which address, when relevent, the seasonal changes in some of the predictors, as follows:

<u>f column</u> responses are those addressing either (a) the average annual condition, or (b) the condition intermediate between the wettest and driest annual conditions (e.g., late June in most Prairie pothole wetlands), or (c) the condition of maximum annual standing crop of wetland plants, or (d) if tidal, the average daily mid-tide condition.

W column responses are those addressing what the area would look like (a) during the wettest time of an average year, or (b) if the area is tidal, what it would look like during an average daily high tide (flooded) condition.

O column responses are those addressing what the area would look like during either the driest time of the year (questions pertaining to hydrology) or if the question pertains to vegetation, then during the dormant time of the year. If the area is tidal, "O" refers to its daily low tide (exposed) condition.

For example, question 2.1.1 should first be asked and answered in the context of the WIA's (wetland impact area's) average condition, then in terms of its wettest condition, then the basin's average condition, and finally the basin's wettest condition. This should then be repeated for question 2.1.2. Because no Y/N choice is given in either "D" column, the area's dry or dormant condition need not be evaluated for this question. Similarly, some questions will require responses only for the WIA or basin, but not both.

Q. •	_	IA W D	BASI I W	0			
1	-type Dat	_ 	7 CD 7 CE	CD 1 C	4.1	-	
1.1 1.2 1.3 1.3.1	ÖN Č	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)					,

Chincoteague Channel Marsh

		•		
AIN D E a.p	EASIN E V D			
Q. 6 1 W D 2.1.1 YN YH 2.1.2 YH YH 2.2.1 YN YH 2.2.2 YN YH				-
3.1 3.2 4.1 Ø#	39			
4.1 O # 4.2 Y CD	_			
4.2 Y (C) 5.1 5.2	Y(B)			
6.1				
6.1 6.2 7.1 7.2	Y N Y N	See	Comment	form
8.1 8.2	40	see	commen	form
9.1 9.2	YN			
10.1 Y R 10.2 Y R 10.3 Y R			·	
11.1 (D) 11.2 (D)				
12.1 Y N NA				·
13.1 13.2 NA	Y N Y N			
14. Y(N)	Y N			
15.1 Y 00 15.2 Y 00				
15.3 O H 15.4 Y O 15.5 Y O				
1 15.6 Y(R)			'ختب	
15.7 , YOU 16. (Y) N				
16. ON 17.1 YOU 17.2 YO				
18. Y(0)				
20. 21.1 Y (D)	Y (f)			
21.2 Y 20 21.3 Y 20				
21.1 Y CO 21.2 Y CO 21.2 Y CO 21.4 Y CO 21.5 O N 21.6 Y O				
Field-type Data		(500	<u>-</u> +	<i>[</i>
22.1 Y N Y N Y N 22.1.1 Y N Y N Y N 22.1.2 Y N Y N Y N 22.1.3 Y N Y N Y N 22.1.5 Y N Y N	Y	> 266	comment	tra
22.2 YN YN 22.2.1 YN YN	YN YN			

Chincoteague Channel Marsh

OVY	BACT III		
Q. # R W.D	BASIN B W D		
22.2.2 YN YN	YNYN		
22.2.3 YM YM	YN YN		
22.2.3 Y N Y N 22.2.4 Y N Y N 22.2.5 Y N Y N	YIN! YIN!		
22.3 Y(N) Y(N)	A W A W		
22.3.1 Y N Y N 22.3.2 Y N Y N	YNYN	ŀ	
22.3.3 YM YM	Y N Y N Y N Y N Y N Y N Y N Y N Y N		
22.3.4 YER YER 22.4 YM ON			
22.4 (VN QN 22.4.1 (VN QN 22.4.2 YGD YGD 22.5 YGD YGD	8		
22.5 (8) (9)			
22.0	Y(N) Y(N)		
23.1 100	198) See Comment	form
20000000000000000000000000000000000000	6 964	1	ľ
23.4 T Q	38		
23.6 100	400		
23.7 (0)	100		
23.9	100)	
24.3 YOU TOO YOU			
24.2 10 10 10 10 10 10 10 10 10 10 10 10 10			
25.2 Y N NA			,
	Y(0)		
26.1 Y (1) 26.2 Y (1)	Ý 2 0		
26.3 Y T	YCO		
26.5 YOU	700	الم ح ارا	
26.1 YGD 26.2 YGD 26.3 YGD 26.4 YGD 26.5 YGD 26.6 YGD 26.7 YGD 26.8 YGD			
26.8			
26.9 O ¥ 26.10 Y O	4		
26.11 YCO	100		
27.1 Y N N/A	Y N N/A		
28.1 28.2	Y N Y N Y N		
29.	Y(N)		
29. 30.1 YOU 30.2 YOU 31.1 YN NA 31.2 YN YN YN 32.1 YN YN YW 32.2 YW YW YW 32.3 YW YW YW 32.5 YW YW YW 32.5 YW YW YW 32.6 YW YW YW 32.6 YW YW YW 32.7 YW YW YW 32.8 YW YW YW			
31.1 Y N N/A			
31.1 31.2 32.1 32.1 32.2 32.3 32.4 32.5 32.5 32.6 32.6 32.6 32.7 32.6 32.7 32.8 32.8 32.8 32.8 32.9	Y60 Y60 Y60		
32.2 YO YO YO			
32.3 Y	YEND YING YING C		
32.5 Y Y Y Y	YN YN YN		
32.1 YN YN YN 32.2 YM	44444 44	[
32.8 YOU YOU	THE THE THE		

Chincoteague Channel Marsh

0. # 33.1 YAD YAD YAD 33.2 MM CM CM	KIZA		
33.1 YO YO	-\$555555		
33.1 33.2 33.3 33.4 33.5 33.6 33.7 34.1 34.2 34.3 34.5	\$555555\$ \$555555\$ \$555555\$ \$555555\$ \$555555		
33.4 ON ON ON			
33.6 Y Y Y Y			
33.8 YO YO YO	76 YO TO		
34.1 VAD YAD YAD YAD			
34.3 OH OH OH			
34.5 YOU YOU YOU			
######################################	Bi Bi Bi		
35.1 (2) N (3) N			
35.1 (7) N (7) N (35.2.1 (35.2.2 (35.2.3 (35.2.2 (35.2.3 (35.2	. 100 100 100 100		
35.2.3 36. (7)	Y (D)		
37 .1 Y/N			
37.2 Y(I)	A A A A A	NA	
130.2 YW YW		7/1	
39.1 Y N N/A 39.2 Y N/A 39.3 Y D 39.4 Y D 39.5 DA			
m.i. 30			
39.6	Y®	see comment	form
40. Y N Y N 41.1 41.1.1 41.1.2	YOU YOU YOU		1
41.1.1	**************************************	See Comment	Lorm
41.1.3		-	
41.2.1	YA YA YA		
41.1.2 41.1.3 41.2.1 41.2.2 41.2.3 41.3 41.3.1 41.3.2 41.3.3	180 180 180 180 180 180 180 180 180 180		
41.3 41.3.1	YM YM YM YM YM YM YM YM YM YM YM YM		
41.3.2	YN YN YN		
41.4 42.1 (2) N (2) N (2) N	YN YN YN)	
41.4 42.1 GH CH GH 42.2 YOU YOU YOU 42.3 YOU YOU YOU			1
	Y(R) Y(R)		
44.1 44.2			
45.1 G y 45.2 YGD			
45.2 YOU			
46.1 YO 46.2 YO 46.3 I D			
146.4 CDN			
47.2 T C			
48.1 Y (0) Y (1) 48.2 Y (N) Y (1)			<u></u>

Chincoteague Channel Marsh

0.	1	AIV	9		A D			
49.1			-	Q _b				
49.2 50.	(D) N	(D)N	(Y)N	10		+	 	
51.		ON	<u> </u>					
<u>Detail</u>	ed Dat	.2						
52.1.1	YM	MA						
52.1.2 52.2.1 52.2.2	ф. В	MA						
53.1 53.2	YW	NA						
54.1	YN				 			
54.2 55.	YÑ	NA NA						
56. 57.1	YN	N.E			YN	 		
57.2	YN	N	Δ			1		
57.3 57.4	YN) *(71 '					
38.1	YN							
58.2 58.3	Y N Y N	N	<i>IA</i>	}				
55.4	YM					<u> </u>	<u> </u>	
59.1 59.2 59.3			NA	YN				
60.1			NA		11			
60.2 60.3			NA	YX			-	
61.1 61.2	YN		NA			<u> </u>		
62. 63.1	YX		NA		Y N	 	<u> </u>	
63.2				NA	YN			
64.	194			NA	YX	 		
66.1	٠.٠.	YA	NA		TX			
67.1		Y M		1	YN			
67.2 68.1	YN	YM	NA		YN	 		
68.2	YR	<u> </u>	PL/	 	<u> </u>			
Derived		onses						
69.1 69.2	N Y W							
70.1	. Y M							
70.2 71.1	YN							1
71.2	Y N			-	After re	sponses to all p	assible anestic	ns (Form A)
72.1 72.2	YN				have bee	n recorded above	re, turn to Fe	orm 8 (page
73.1	YX				38). Yo	u will(as an opi ion-2.1.2) to	tion) return to interpret the	this sheet
73.2	YM		. <u> </u>	 	sponses.			
74.2	YN					1		
75.1 75.2	YM					-		

Chincoteague Channel Marsh

Response Sheet B1

THRESHOLD ANALYSIS: SIGNIFICANCE

This sheet is the appropriate place for recording the responses to the corresponding questions in Form B. Circle Y (yes) or N (no), being careful to note that the order of Y and N below frequently reverses.

General I.1 (0 Y 1.2 (0 Y 1.3 (0 Y 1.4 (0 Y 1.5 (0 Y 1.6 (0 Y 2. Y (0 Y 1.6	Nutrient Retention 37. Y (N) 38. Y (N) 39. Y (N) 40. Y (N) 41. Y (N) 42. (N) Y
Recharge 3. Y N 4. Y N 5. Y N 6. Y N 7. O N 8. Y N 9. O N 10. N Y	Fish Food Chain/ Habitat 43. YN 44. ON 45. ON 46. ON 47. YN 48. ON 49. YN 50. YN
Discharge 11. YM 12. M 13. M 14. M 15. M Y Flood Storage 16. YM	51. Y W 52. Y W 53. WY Wildlife Habitat 54. Y W 55. Y W 56. W W
17. YOU 18. ON 19. YOU 20. ON 21. YOU 22. By Shoreline Anchoring	58. Y Q 59. Y Q 60. N Y Active Recreation 61. Y N 62. Y N 63. Y Q
23. YN 24. YN 25. YN 26. YN 27. YN 28. YN 29. NY	64. ON 65. YO 66. YO 67. OY Passive 68. YO 69. YO 70. YO
Trapping 30. Y (1) 31. Y (1) 32. Y (1) 33. Y (2) 34. Y (2) 35. Y (3) 36. N Y	71. Y (N) 72. Y (N) 73. Y (N) 74. Y (N) 75. Y (N) 76. Y (N) 77. Y (N) 78. N (Y)

Form "A" Comments (Chincoteague Channel Marsh Study Site)

WIA	= area inside dashed line (Figure 12)
Basin	<pre>= WIA + equivalent area (extending width of wetland into Chincoteague Bay)</pre>
7,8	Sub-watershed = cleared parking area around WIA
22	Basin (as well as WIA) considered emergent
23	< 50 cm porous organic
39.5	Two vegetated dams across creek. Origin unknown
41	Basin includes WTA